



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

| APPLICATION NO.  | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO.         | CONFIRMATION NO.       |
|--|-------------|----------------------|-----------------------------|------------------------|
| 10/776,934   | 02/10/2004  | Bo Hansen            | 366929-018US (396515)       | 2105                   |
| 37509  | 7590        | 09/19/2008           |                             |                        |
| DECHERT LLP<br>P.O. BOX 390460<br>MOUNTAIN VIEW, CA 94039-0460 |             |                      | EXAMINER<br>CHONG, KIMBERLY |                        |
|  |             |                      | ART UNIT<br>1635            | PAPER NUMBER           |
|  |             |                      | MAIL DATE<br>09/19/2008     | DELIVERY MODE<br>PAPER |

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

### ***Sequence Compliance***

This application contains sequence disclosures that are encompassed by the definitions for nucleotide and/or amino acid sequences set forth in 37 CFR 1.821(a)(1) and (a)(2). However, this application fails to comply with the requirements of 37 CFR 1.821 through 1.825 for the reason(s) set forth below or on the attached Notice To Comply With Requirements For Patent Applications Containing Nucleotide Sequence And/Or Amino Acid Sequence Disclosures: New claim 220 recites a sequence that does not have the proper sequence identifier.

Applicant is given ONE MONTH, or THIRTY DAYS, whichever is longer, from the mailing date of this letter within which to comply with the sequence rules, 37 CFR 1.821 - 1.825. Failure to comply with these requirements will result in ABANDONMENT of the application under 37 CFR 1.821(g). Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a). In no case may an applicant extend the period for reply beyond the SIX MONTH statutory period. Direct the reply to the undersigned. Applicant is requested to return a copy of the attached Notice to Comply with the reply.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly Chong whose telephone number is 571-272-3111. The examiner can normally be reached Monday thru Friday between 7-4 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, James Schultz can be reached at 571-272-0763. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Patent applicants with problems or questions regarding electronic images that can be viewed in the Patent Application Information Retrieval system (PAIR) can now

Art Unit: 1635

contact the USPTO's Patent Electronic Business Center (Patent EBC) for assistance. Representatives are available to answer your questions daily from 6 am to midnight (EST). The toll free number is (866) 217-9197. When calling please have your application serial or patent number, the type of document you are having an image problem with, the number of pages and the specific nature of the problem. The Patent Electronic Business Center will notify applicants of the resolution of the problem within 5-7 business days. Applicants can also check PAIR to confirm that the problem has been corrected. The USPTO's Patent Electronic Business Center is a complete service center supporting all patent business on the Internet. The USPTO's PAIR system provides Internet-based access to patent application status and history information. It also enables applicants to view the scanned images of their own application file folder(s) as well as general patent information available to the public. For more information about the PAIR system, see <http://pair-direct.uspto.gov>.

For all other customer support, please call the USPTO Call Center (UCC) at 800-786-9199.

/Kimberly Chong/  
Examiner  
Art Unit 1635